

NOV 17 2003

DT-8J

Paul F. Durkin, Director
Health and Safety
Cookson Electronics
225 Foxborough Boulevard, Suite 150
Foxborough, Massachusetts 02035

Re: PCB Cleanup Report/Due Care Plan
Former Enthone, Inc.
Warren, Michigan

Dear Mr. Durkin:

This is to acknowledge receipt of the PCB Cleanup Report and Due Care Plan, submitted by Connestoga -Rovers & Associates on October 30, 2003, on behalf of Enthone, Inc. (Enthone), to document the PCB cleanup and disposal activities performed at the facility. We issued an approval for a Risk-Based Cleanup and Disposal of PCBs to Enthone on December 22, 2002.

Based on our review of the above documents, we have determined that the PCB cleanup and disposal activities at Enthone were carried out in accordance with the approved PCB Cleanup Work Plan and the conditions of the risk-based approval.

Please call Priscilla Fonseca, of my staff, at (312) 886-1334, if you have any questions on this matter.

Sincerely,

John Connell, Chief
Toxics Program Section

cc: Jerrel Vickers, MEI
Kimberly Tyson, MDEQ
Mark Jacobs, Dykema Gossett
James Reid, CRA

11/17/03
JEC 11/17/03
AM